

CULTIVAR	FLORAISON	PÉRIODE DE FLORAISON	HAUTEUR	GROUPE DE TAILLE	ZONE
<i>Alba luxurians</i> * <i>Viticella</i>	White flowers with green tepals and a pale green bar on the reverse. Very deep purple anthers.	July to September	2,5 to 3 m	3	3
<i>Allanah</i> *	Medium to large ruby-red flowers, flushed brighter red. Anthers greenish or dark red-brown.	June to September	2 to 4 m	2	4
<i>Arabella</i> * <i>Integrifolia</i>	Semi-nodding deep purple-blue flowers which lighten with age to reveal pink-mauve veining and bar. Cream or cream-yellow anthers.	June to October	1,5 to 2 m	3	4
<i>Aromatica</i>	Small red-purple flowers. Prominent cream filaments and pale yellow anthers.	June to September	1,5 to 2 m	3	4
<i>Bees jubilee</i>	Mauve-pink with carmine bar	May and September	2,0 m	2	3
<i>Belle of Woking</i>	Medium to large, silver-mauve, double flowers with cream or yellow anthers.	May, June and September	2,0 m	2	4
<i>Blue Boy</i>	Blue Flower	July	4,0 m	3	
<i>Comtesse Bouchaud</i>	Pink flowers with creamy stamens.	July to October	2,5 m	3	4
<i>Cpt Thuillaux</i>	Bi-colour cream strawberry-pink bar.	June and August	2,0 m	2	5
<i>Dr. Ruppel</i>	Deep pink with carmine bar flowers.	May, June and September	3,0 m	3	4
<i>Duchess Edimbourg</i>	Double white flowers.	Mid-June and September	2,0 m	2	5
<i>Durandii</i>	Blue-purple flowers.	July	1,0 m	1	4
<i>Elsa Spath</i>	Violet-purple flowers.	May, June sometime October	2,0 m	2	5
<i>Ernest Markam</i>	Velvety magenta-red.	July to October	4,0 m	3	4
<i>Etoile Violette</i>	Deep purple.	July	6,0 m	3	4

<i>Frau mikiko *</i>	Large violet-blue flowers with a red bar which is most noticeable towards the base of the tepals. Prominent yellow anthers.	May to September	2 to 2,5 m	2	5
<i>Gipsy Queen</i>	Rich velvety violet-purple flowers.	July to October	4,0 m	3	4
<i>Golden Tiara</i>	Bright yellow nodding flowers opening flat to reveal the prominent, deep purple filaments.	July to September	2,5 to 3 m	3	4
<i>Hagley hybrid (Pink Chiffon)</i>	Pale mauve-pink flowers with purple-red or brown anthers. Tends to bleach in full sun.	July to October	2,5 m	3	4
<i>Helios * Tangutica</i>	Nodding yellow, coconut scented, flowers wich open completely flat. Brown-purple filaments with cream-yellow anthers.	May to September	1,5 to 2 m	3	4
<i>Jackamii</i>	Deep violet-purple.	Mid-June and September	3,0 m	2 or 3	3
<i>Jackmanii superba</i>	Velvety purple.	June	3,0 m	2 or 3	3
<i>Jean-Paul II (Jan Pawel II)</i>	White with thin pink bars and red stamens.	June, July	5,0 m	2	4
<i>Joe Zary * Alpina</i>	Soft lavender flowers, then they darken somewhat to violet-purple	May to September	1,5 to 2 m	1	3
<i>John Warren *</i>	Large pale silver-pink flowers with deeper pink stripe. Red anthers.	June to September	2,5 to 3 m	2	4
<i>Julia Correvon</i>	Deep red-wine.	June to September	3,0 m	3	4
<i>Kermesina * Viticella</i>	Deep wine red flowers with a small white spot at the base of each tepal and deeo reddish-purple anthers.	July to September	3 to 4 m	3	4
<i>Lanuginosa Candida</i>	Large pure white flowers with light yellow stsamens.	June to September	2,5 to 4 m	2	4
<i>Little Nell</i>	White with purple tint.	July	4,0 m	3	4
<i>Maximowicziana (sweet autumn, terniflora)</i>	Small, white sweetly scented flowers with green-white filaments and creamy anthers.	August to September	6,0 m	3	4
<i>Mikelite * Viticella</i>	Medium to large, dark purple-red flowers with a paler bar. Yellow anthers on white filaments.	July to September	2 to 2,5 m	3	4
<i>Mrs. Harvey</i>	Single nodding, bell-shaped deep blue flowers fading towards the margin with three darker longitudinal ridges. Anthera creamy white.	June to September	2,5 to 3 m	3	4

<i>Negritianka</i> * <i>Viticella</i>	Really deep purple flowers with reddish-purple anthers.	July to September	2,5 to 3 m	3	4
<i>Nelly Moser</i>	Mauve-pink with carmin bar.	May, June and September	2,0 m	2	4
<i>Niobe</i> *	Large very deep red flowers, almost black when they first open, with yellow stamens.			2	4
<i>Odoriba</i> *	Small, nodding, bell-like flowers, tepals white, pink margin. Anthers greenish yellow.	July to October	2,5 to 3 m	3	5
<i>Petit Faucon</i>	Dark blue.	July to September	1,0 m	3	4
<i>Piilu</i>	Medium sized, mauve-pink double or semi-double flowers with a purple red bar in May-June. Yellow anthers on white stamens. Single in August and September.	May to September	1,5 m	2	4
<i>Pink Champagne</i> ( <i>Kakio</i> )	Large flowers with paler central bar. Yellow stamens. Frequently sold in th UK as "Pink Champagne", but technically it should be given its original name, "Kakio".	May, June and September	2,5 m	2	4
<i>Pink Fantasy</i>	Pale pink flowers with deeper pink bar which fades towards the tips. Pink-red or beige anthers on white filaments.	June to September	3,0 m	2 or 3	4
<i>Polish spirit</i> <i>Viticella</i>	Deep purple-violet.	July	4,0 m	3	4
<i>Prince Charles</i>	Medium to large blue flowers, ranging from very pale blue to mauve-blue with slightly darker bar. Cream or yellow anthers.	July to September	1,5 to 3 m	3	4
<i>Princess Diana</i> * <i>Texensis</i>	Bright pink outward facing trumpet-shaped flowers. Cream-yellow or bright yellow stamens.	July to October	2 to 2,5 m	3	4
<i>Purp. Elegans</i> <i>Viticella</i>	Double pink violet	July	4,0 m	3	4
<i>Recta purpurea</i> *	Small, scented white flowers with creamy stamens. News foliage is deep purple or bronze-red, turning green as it matures.	June to September	1,5 to 2 m	3	4
<i>Rhapsody (Fretwell)</i> *	Deep blue flowers with yellow-green or cream-yellow anthers. The filaments are white, blue tinted towards the base.	May to September	3 m	2	4
<i>Romantika</i> *	Deepest purple flowers with contrasting anthers. The flowers of this outstanding cultivar are almost black on first opening.	July to September	2 to 2,5 m	3	4
<i>Rouge Cardinal</i>	Glowing red.	July and October	2,0 m	3	4

<i>Sizaia Ptitsa *</i>	A semi-herbaceous type with medium to large violet flowers with a paler edge. The filaments are bluish white with purple tips, carrying purple-red anthers fading to greyish violet.	July to September	1,5 to 2,5 m	3	4
<i>Star of India</i>	Violet-purple flowers.	July	2,5 m	3	4
<i>Summer snow (Paul Farges)*</i>	Small white flowers in profusion. Plant in a sunny position to enhance the sweet scent.	July to September	5 to 7 m	3	4
<i>Texensis Pagoda * Viticella</i>	Small, nodding, bell-like white flowers.			3	4
<i>The president</i>	Deep-purple-blue, red-tipped stamens.	June and September	3,0 m	2	4
<i>Trikatrei *</i>	Medium sized violet flowers, white filaments with pale violet anthers.	June to September	2 to 23 m	3	4
<i>Veronica's Choice</i>	Large very pale lavender, almost white, double flowers on old wood in early summer, single on new wood in autumn. Wavy edged tepals.	May, June and September	2,5 to 3 m	2	4
<i>Ville de Lyon</i>	Bright red.	July and October	10,0 m	3	4
<i>Violet Elizabeth</i>	Large mauve-pink double flowers with yellow anthers.	May, June and September	2 to 3,5 m	2	4
<i>vit.Minuet</i>	White with purple edges.	July	4,0 m	3	4
<i>Vostok *</i>	Reddish-purple flowers with a red bar. Deep veining of the tepals gives a textured appearance. White filaments with yellow anthers.	July to September	2,5 to 3 m	3	4
<i>Vyvyan Pennell *</i>	The double or semi-double flowers vary somewhat in colour from silver-lilac-mauve, through lilac to lavender-blue or deep pinkish-lavender tinged purple red. Beige or pale yellow anthers on white filaments.	May, June and September, October	2,5 to 3 m	2	5
<i>Warszawska Nike</i>	Large, velvety red-violet to purple-violet flowers with slightly redder bar. Yellow anthers on green-white filaments.	June, July and September, October	2,5 to 4 m	3	4
<i>Will goodwin</i>	Lavender-blue flowers	June to September	3,0 m	2	4